



## ***Przebudowa drogi gminnej w miejscowości Golin***

## ***Odcinek A***




Rzędne niwelety	73.58 73.30 73.02 72.78 72.68 72.65 72.61 72.66 72.72 72.77 72.81 72.79 72.74 72.69 72.64 72.58 72.57 72.57 72.61 72.65 72.63 72.68 72.74 72.80 72.86 72.92 72.98 73.04 73.10 73.16 73.22 73.28 73.34 73.40 73.46 73.52 73.58 73.64 73.70 73.76 73.82 73.88 73.94 74.00 74.06 74.24 74.48 74.61 74.80 74.89 74.98 75.08 75.28 75.48 75.62 75.75 75.89 76.03 76.17 76.31 76.42																													
Rzędne istniejące	73.58 73.18 73.01 72.83 72.63 72.56 72.55 72.63 72.72 72.79 72.80 72.82 72.71 72.74 72.58 72.54 72.54 72.57 72.57 72.58 72.61 72.65 72.63 72.68 72.74 72.80 72.86 72.92 72.98 73.04 73.10 73.16 73.22 73.28 73.34 73.40 73.46 73.52 73.58 73.64 73.70 73.76 73.82 73.88 73.94 74.06 74.24 74.48 74.61 74.80 74.89 74.98 75.08 75.28 75.48 75.62 75.75 75.89 76.03 76.17 76.31 76.42																													
Różnice rzędnych	0.00 0.11 0.00 0.05 0.03 0.03 0.05 0.00 0.05 0.04 0.00 0.01 0.01 0.03 0.11 0.13 0.00 0.01 0.00 0.00 0.06 0.03 0.00 0.08 0.09 0.07 0.07 0.10 0.11 0.09 0.07 0.07 0.03 0.08 0.10 0.03 0.08 0.10 0.03 0.05 0.05 0.00 0.01 0.00 0.00 0.00 0.00																													
Elementy niwelety	<div>L=19.63m R=2.86m</div> <div>R=1000.00m L=33.98m</div> <div>L=33.37m R=0.54%</div> <div>L=44.59m R=0.51%</div> <div>R=1000.00m L=28.29m</div> <div>L=16.22m R=1.32%</div> <div>R=1000.00m L=14.27m</div> <div>L=37.00m R=3.74%</div> <div>R=1000.00m L=23.61m</div> <div>L=57.03m R=1.38%</div>																													
Elementy trasy	PROSTA R=80.00m L=7.07m ŁUK POZIOMY R=80.00m L=15.31m PROSTA L=10.80m PROSTA L=135.47m PROSTA L=33.39m PROSTA L=37.66m PROSTA L=48.55m ŁUK POZIOMY R=97.50m L=17.73m PROSTA L=12.02m																													
Odległości	0+00 10.00 19.63 30.00 36.63 40.00 48.00 53.62 60.00 70.00 80.00 86.99 90.00 00.00 10.00 20.00 30.00 36.70 40.00 45.73 50.87 60.00 70.00 80.00 86.09 89.23 93.23 00.00 10.00 20.00 27.36 39.17 40.00 50.00 50.97 60.00 70.00 80.00 90.00 00.00 10.00 18.00																													
Kilometraż	● 0+00 0+100 0+200 0+300 0+3																													

## ***Odcinek B***





POZIOM ODNIESIENIA		4,00	7,40
Rzędne niwelety		76,43	76,50
Rzędne istniejące		76,43	76,50
Różnice rzędnych		-0,01	-0,02
Elementy niwelety		$L=26,57m$ $I=3,1\%$	
Elementy trasy		PROSTA $L=26,57m$	
Odległości		10,00	20,00
Kilometraż	0+000	0+027	

## *Odcinek C*

[illegible]

### ***Odcinek D***



POZIOM ODNIESIENIA	74.00										74.00
Rzędne niwelety	76.42	76.54	76.67	76.81	76.85	76.94	76.98	76.87	76.85		
Rzędne istniejące	76.43	76.59	76.73	76.87	76.93	76.94	76.88	76.88	76.88		
Różnice rzędnych	-0.01	-0.04	-0.06	-0.04	-0.02	0.01	0.01	-0.01	0.00		
Elementy niwelety											
Elementy trasy	PROSTA L=2.90m	PROSTA L=22.86m	ŁUK POZIOMY R=200.00m L=32.20m				PROSTA L=20.50m				
Odległości	0+00	10.00	20.00	30.00	41.70	46.70	50.00	60.00	70.00	78.54	
Kilometraż	0+000										0+079